

The Town of Leesburg DEPARTMENT OF PLANNING, ZONING AND DEVELOPMENT

PRELIMINAF	RY SUBDIVISION PLA	AT CHEC	KLIST		LMIS#
Project Name					Submission #
Reviewed By	R	eviewer Phor	ne #		Reviewer E-mail Address
Plan Dated	P	lan Received			Plan Review Completed
PIN#					
Reference	Description	ОК	K No	Not Applicable	Comments
Subdivision an	nd Land Development Re	gulations			
Application Fili	ing Information				
13-56.a.	Completed land development application	on 🗆			
13-56.b.	Plan; 5 copies				
13-56.c.	Fee(s)				
13-56.d.	Street name requests (no duplicates)				
3.1.7 (ZO)	Delinquent taxes				
13-57.b	Referrals				
General Inform	<u>nation</u>				
13-62.b.1.a.	Proposed developmen	it 🗆			
13-62.b.1.b.	Proposed use(s)				
13-62.b.1.c.	Owner of record; name address Developer; name and address	e and $\ \square$			
13-62.b.1.d.	Professional preparing plan; name, address, signature and registrat	ion \Box		_ ·	·
13-62.b.1.e.	Deed reference, tax m and parcel number, PI number	ap _			

Reference	Description	OK	No	Not Applicable	Comments
13-62.b.1.f.	Date plan was drawn and		П		
13-62.b.1.g.	date of any revision Vicinity map		П		
13-62.b.1.h.	Existing zoning, including				
	any associated proffers Proffer or special exception				
	compliance letter				
13-62.b.1.i.	Adjoining property owners, names and addresses (including proof of certified mail notification)				
13-62.b.1.j.	Proof of any approved special exceptions, variances or waivers				
13-62.b.1.k.	Note stating, "Preliminary plat approval is valid for 3 years. Applicant will not be				
13-62.b.1.l	notified of expiration." Identify variation requests with note on the plat.				
Project Tabula	tions				
13-62.b.2.a.	Gross acreage; nearest 1/10 acre				
13-62.b.2.b.	# of lots				
13-62.b.2.c.	Minimum lot area				
13-62.b.2.d.	Average lot size				
13-62.b.2.e.	Minimum lot width				
13-62.b.2.f.	Area in lots	П	П	П	
13-62.b.2.g.	Area in common open				
13-62.b.2.h.	space Common open space % of		П		
	subdivision	ш		Ш	
Existing Site C	<u>onditions</u>				
13-62.b.3.a.	Survey map of property certified by VA Certified Land Surveyor (if different than boundary survey)				
13-62.b.3.b.	Existing topography; maximum 2' contours				
13-62.b.3.c.	Existing ROW; location and full width within 200' of site				
13-62.b.3.d.	Existing roadways; location and full width within 200' of				
13-62.b.3.e.	site Easements; boundaries, purposes and widths				

Reference	Description	ОК	No	Not Applicabl	Comments e
13-62.b.3.f.	Existing driveways and access points; location and dimensions on and within 200' of site				
13-62.b.3.g.	FEMA 100-year floodplain; location				
13-62.b.3.h.	Existing overland watercourses and drainage structures on or within 100 feet of the development				
13-62.b.3.i.	Adjoining property; names of owners of record				
13-62.b.3.j.	Adjoining property; existing uses and zoning				
13-62.b.3.k.	Existing tree cover; identification of areas (individually identify trees with 18 inch DBH or >)				
13-62.b.3.l.	Existing slopes; identification of all slopes ≥ 15 % and slopes ≥ 25 %				
13-62.b.3.m	Location of existing buildings & parking areas within site, & approximate location of neighboring				
13-62.b.3.n	buildings & parking areas Archeological, natural & historical features & landmarks				
13-62.b.3.o	Location & description of USGS monuments or equivalent				
Graphic Requi	rements				
13-62.b.4.a.	Plan sheets; clearly and legibly drawn				
13-62.b.4.a.	Plan sheets; scale no more than 100' to the 1"				
13-62.b.4.a.	Plan sheets; north arrow				
13-62.b.4.a.	Plan sheets; numbered and 24" by 36" in size				
13-62.b.4.a.	Plan sheets; clearly marked "Preliminary Plat"				
13-62.b.4.b.	Location R/W width & typical pavement sec. of all proposed streets, common driveways, & parking courts				
13-62.b.4.b	Reserved street names (no duplicates)				
13-62.b.4.b	Future street layout of remaining sections to ensure orientation & size				

Reference	Description	OK	No	Not Applicabl	Comments le
13-62.b.4.c.	Lot & yard requirements, with approx. dimensions, lot areas, and lot #'s				
13-62.b.4.d.	Layout for water, storm, & sanitary sewers including off-site improvements				
13-62.b.4.e	Connections to water, sewer, & storm drainage structures				
13-62.b.4.f	Layout of provisions for collection and discharging surface drainage				
13-62.b.4.g	Preliminary plan for E & S control measures				
13-62.b.4.h	Phasing plan				
13-62.b.4.i.	Soil overlay map (scale 1" = 200') with narrative				
13-62.b.4.j.	Drainage improvements; proposed in the Town's SWM Master Plan within a				
13-62.b.4.k.	100 feet of the development Existing and proposed public open spaces; location and size within and adjacent to the				
13-62.b.4.l.	development Proposed parcels of land and easements to be dedicated for public use; location and size and conditions of each				
13-62.b.4.m.	Proposed buffer yard type and location, if applicable				
13-62.b.4.n	Approx. depths of cut & fill for significant changes.				
13-62.b.4.o	Existing and proposed limits of 100-year floodplain				
13-62.b.4.p	Locate tree protection & preservation areas including methods for				
13-62.b.4.q	preservation Design of facilities within open space including # of parking spaces.				
13-62.b.4.r	Proposed fire hydrant & distance to nearest existing hydrant				
13-62.b.4.s	Town approval block				
13-62.b.4.t	Airport noise limits (ldn)				

Reference	Description	OK	No	Not Applicable	Comments				
Other Information									
13-62.b.5.a.	Written approval by Health Director for well & septic if not served by Town water & sewer								
13-62.b.5.b.	Stakeout plan								
13-62.b.5.c.	Soils report								
13-62.b.5.d.	Deed covenants that may affect the type/location of structures, uses, or access								
13-62.b.5.e.	Statement regarding intent to provide schools, parks, bike paths, or other public uses shown on the Town Plan								
13-62.b.5.f.	Traffic Study if application generates 500 vehicles per day or more. Otherwise, info. on projected traffic.								
13-62.b.5.g.	8½ x 11 transparency of the plan								
Zoning Ordina									
Zoning District	d <u>s</u>								
5, 6, & 7	; use	П	П						
5, 6, & 7	; standards								
5, 6, & 7	; additional standards								
7.5.5	H-1; historic district permit for buildings, fences, walls, lampposts, light fixtures, signs, driveways, walkways, and paving								
7.5.7	H-1; brick sidewalk								
7.5.8	H-1; demolition permit								
7.6.3	H-2; applies if any portion of building is within limits.								
7.6.4	H-2; certificate of approval								
7.7.2	A-1; applies if within areas shown on Airport Safety District Map and Airport Noise Overlay Map								
7.7.5	A-1; height limitations								
7.7.6	A-1; use								

Reference	Description	ОК	No	Not Applicabl	Comments
7.7.7	A-1; nonconforming use identification				
7.7.9	Airport noise overlay				
7.7.10	Disclosure statement				
7.7.11	Airport noise overlay; use				
7.8.2	NAC; if within 300' of Dulles Greenway, Bypass, Rt. 7, Rt. 15, & Battlefield Pkwy.				
7.8.3 Parking, Loadi	NAC; Standards per sec. 7- 380 of the DCSM ng and Pedestrian Access				
11.2.2 A.	Pedestrian system	_		_	
11.2.2 B.	connection to street Internal pedestrian system				
	connections				
11.2.3 A.	Pedestrian system materials / min. 4' width				
11.2.3 B.	Internal pedestrian system crossings				
11.2.3 C.	Pedestrian system parallel and adjacent to vehicular travel lanes				
11.2.4	Night pedestrian system lighting				
11.3	Required parking				
11.4.2	Shared Parking				
11.4.3	Payments In-lieu				
11.4.4	Modified Requirements for H-1 Overlay District				
11.4.4 A.	Buildings within 500 feet of municipal parking facility within the H-1				
11.4.4 B.	Buildings more than 500 feet from municipal parking facility within the H-1				
11.4.4 C.	Building addition				
11.4.4 D.	Demolition and redevelopment				
11.4.4 E.	Development of vacant land		П		
11.6.1 A.	Parking & loading :				
11.6.1 B.	adequate circulation pattern Entrances and exits				
11.6.1 C.	Relationship of off-street parking and loading areas to public ROW				

Reference	Description	ОК	No	Not Applicabl	Comments
11.6.1 D.	Pavement requirements				
11.6.1 E.	Curb & gutter				
11.6.1 F.	Sidewalks and pedestrian facilities				
11.6.1 G.	Delineation of parking and loading spaces; traffic control signs				
11.6.1 H.	Lighting; restrict onto adjacent properties				
11.6.1 I.	Setbacks, screening and landscaping				
11.6.1 J.	Emergency and public vehicle access				
11.6.2	Angles of parking spaces				
11.6.2 A.	Standard parking spaces; dimensions				
11.6.2 B.	HC parking		П	П	
11.6.2 B.1	HC parking; required				
11.6.2 B.2	spaces HC parking; minimum				
11.6.2B.2.a.	space dimensions Minimum car-accessible HC space; adjacent access				
11.6.2B.2.b.	aisle Minimum van-accessible HC space; adjacent access aisle				
11.6.2B.2.c.	Common parking aisle				
11.6.2B.2.d.	Vehicle overhang; access obstruction				
11.6.2B.2.e.	HC parking space; aisle slope				
11.6.2B.2.f.	Minimum passenger loading zones				
11.6.2B.3.	HC signs				
11.6.2C.	Minimum travel aisle widths				
11.6.3A.1.	Standard loading spaces; dimensions				
11.6.3A.2.	Semi-trailer loading spaces; dimensions				
11.6.3A.3.	Location of off-street loading spaces				
11.6.4	Overflow parking facilities				
11.7	Parking and loading; maintenance				
11.8	Stacking spaces; dimensions and location				

Reference	Description	ОК	No	Not Applicabl	Comments
11.8.1	# Stacking spaces; fast food restaurants				
11.8.2	# Stacking spaces; car washes				
11.8.3	# Stacking spaces; banks				
11.8.4	# Stacking spaces; other uses				
11.9	# Off-street loading spaces				
11.10.1	Alternative loading; H-1 district				
11.10.2	Shared loading				
11.11	Sight distance; DCSM Sec. 7-371				
11.12.1	Floor plans			П	
Landscaping, S	Screening, Open Space & Ligh		_		
12.1.2	Applicability			П	
12.2.4.D.	Conservation easements if				
12.3.2.A.	desired by LDO Tree preservation; retained				
12.4.1	to greatest extent possible. Street tree applicability		П		
12.4.3	Street trees; 1 per 40 feet				
12.4.4	Street trees; within 15' of			П	
12.5.3.A.	R/W – min. 30' spacing Parking lots adjacent to public streets; 10' wide				
12.5.4.A.	landscape area 5' landscaped area adjacent to adj. Properties				
12.6.1.	next to parking lot Interior parking lot landscaping for lots with 16				
12.6.2	or more spaces Interior islands: 145 sq.ft. for single-bay & 300 sq.ft.				
12.6.3.A.	for double bay. Interior parking lot landscaping; 5%				
12.6.3.B.	Interior parking lot landscaping; minimum 145 sq.ft.: min. width – 9 ft.				
12.8.1	Buffers and screening applicability				
12.8.2.A.	Buffer yards; can't be used for parking or storage.				
12.8.2.B.	Buffer yards; can be within				
12.8.3 & 4	setbacks Determine buffer yard &				

Reference	Description	OK	No	Not Applicable	Comments e
	screening requirement				
12.8.6.A.	Screening; definition				
12.8.6.B.	Screening; plant varieties				
12.8.6.C.	Screening; number of plants				
12.8.6.D.	Screening; alternative screens and modifications				
12.8.7	Screening of outdoor storage and loading areas				
12.8.8.A.	Dumpster screening; design and other specifications				
12.8.8.B.	Dumpster screening; setbacks				
12.9.8	Plant material specifications; sight distance				
12.10.2	Open space; minimum required				
Design and Cor	nstruction Standards Manual (I	DCSM)			
Vegetation Pres	servation and Planting				
8-110	Preservation and planting; purpose				
8-120	Preservation and planting; intent				
8-200	Preservation and planting; applicability				
8-310.1.	Existing trees; retention				
8-310.2.A.	Existing trees; 18 inch DBH or > including size, species, spread of branches and				
8-310.3.	spot elevation Tree preservation; critical	П	П	П	
8-310.4.	areas Tree preservation; roadway		П		
8-310.5.	design Tree preservation; limits of				
8-310.6.	clearing Tree preservation; parking				
8-310.7.	lot Tree preservation; tree		П	П	
8-310.8.	replacement Tree preservation; monarch				
8-410	trees Tree preservation; general	П	П	П	
8-420	Tree preservation; impact on root zone				

Reference	Description	OK	No	Not Applicabl	Comments
8-700.1	Planting and easement; coordination procedure				
8-700.2	Planting and easement; alternatives				
8-700.3	Planting and easement; special approval				
Fire Protection	Requirements				
2-240	Fire hydrants; locations				
2-250	Fire lanes				·
Solid Waste D	<u>isposal</u>				
4-310	Solid waste; storage				
4-320	Solid waste; collection				
4-330	Solid waste; disposal				
4-340	Solid waste; screening				
Floodplain Pol	icy and Guidelines				
5-410	Floodplain; applicability				
5-420	Floodplain; use				
5-430	Floodplain studies				
5-440	Floodplain; existing construction				
Street Function	nal Classification				
7-210	Street; general	П	П	П	
7-220	Street classifications		П		
Street Design	Requirements	_	_	_	
7-363	Pipestem driveways				
7-364	Common driveways				
7-370	Parking courts				
7-380	Noise abatement facilities				
Parking Geom	<u>etrics</u>				
7-520	Geometrics				
7-530	Loading zones				

Reference	Description	OK	No	Not Applicable	Comments			
Street Lighting	For Security Purposes							
7-640	Street security lighting							
7-660	Development plan; lighting information							
7-670	On-site lighting; parking security or advertising							
Sidewalks and Trails								
7-710	Sidewalks							
7-720	Trails							
Recreational Ed (Appendix C)	quipment and Criteria							
	Tot lots							
	Ball fields							
	Tennis courts							
	Basketball/multi-use courts							
	Soccer fields							
Standard Form (Appendix E)	s of Legal Agreement							
	Easement packages							

Comments